



1 FW
PATENT

Case Docket No. ACADIA.020A
Date: June 16, 2004


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Andersson et al.
Appl. No. : 10/601,070
Filed : June 20, 2003
For : N-SUBSTITUTED PIPERIDINE
DERIVATIVES AS
SEROTONIN RECEPTOR
AGENTS
Examiner : Unassigned
Group Art Unit : 1615

I hereby certify that this correspondence and all
marked attachments are being deposited with the
United States Postal Service as first class mail in
an envelope addressed to: Commissioner for
Patents, P.O. Box 1450, Alexandria, VA 22313-
1450, on

June 16, 2004

(Date)


Sam K. Tahmassebi, Reg. No. 45,151


TRANSMITTAL LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed for filing in the above-identified application are:

- (X) An Information Disclosure Statement.
- (X) A PTO Form 1449 with seventy two (72) references.
- (X) The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment, to Account No. 11-1410.
- (X) Return prepaid postcard.


Sam K. Tahmassebi
Registration No. 45,151
Attorney of Record
Customer No. 20,995
(619) 235-8550



Packet No.: ACADIA.020A

Customer No. 20,995

INFORMATION DISCLOSURE STATEMENT

Applicant : Andersson, et al.
App. No. : 10/601,070
Filed : June 20, 2003
For : N-SUBSTITUTED PIPERIDINE
DERIVATIVES AS SEROTONIN
RECEPTOR AGENTS
Examiner : Unassigned
Group Art Unit : 1615

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed is form PTO-1449 listing 72 references that are also enclosed.

This Information Disclosure Statement is being filed before the receipt of a first Office Action on the merits, and presumably no fee is required in accordance with 37 C.F.R. § 1.97(b)(3). If a first Office Action on the merits was mailed before the mailing date of this Statement, the Commissioner is authorized to charge the fee set forth in 37 C.F.R. § 1.17(p) to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated:

June 16, 2004

By:

Sam K. Tahmassebi
Sam K. Tahmassebi
Registration No. 45,151
Attorney of Record
Customer No. 20,995
(619) 235-8550

| | | |
|---|---------------------------------|-------------------------------|
| <p>U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE</p> <p>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</p> <p>JUN 25 2004</p> <p>(USE SEVERAL SHEETS IF NECESSARY)</p>   | ATTY. DOCKET NO. ACADIA.020A | APPLICATION NO. 10/601,070 |
| | APPLICANT Andersson, et al. | |
| | FILING DATE June 20, 2003 | GROUP 1615 |
| | | |

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

**EXAMINER
INITIAL**

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

5 Alvisi, Sulla formazione di derivati pirazolici dalle dicloridrine e dalla tribromidrina della glicerina ordinaria, Gazz. Chem. Ital. 22:59 (1892)

6 Antilla & Buchwald, Copper-catalyzed coupling of arylboronic acids and amines, Org. Lett. 3:2077-2079 (2001)

7 Antilla, et al., The copper-catalyzed *N*-arylation of indoles, J. Am. Chem. Soc. 124:11684-11688 (2002)

8 Artico, et al., Aromatic hydrazides as specific inhibitors of bovine serum amine oxidase, Europ. J. Med. Chem. Chim. Ther. 27:219-228 (1992)

9 Barchas, et al., Serotonin and Behavior (1973)

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|
|----------|-----------------|

| | | | |
|--|--|---------------------------------|-------------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. ACADIA.020A | APPLICATION NO. 10/601,070 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Andersson, et al. | |
| | | FILING DATE June 20, 2003 | GROUP 1615 |
| (USE SEVERAL SHEETS IF NECESSARY) | | | |

| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) | | |
|------------------|---|--|--|
| 10 | Barnes and Sharp, A review of central 5-HT receptors and their function, <i>Neuropharmacology</i> , 38:1083-1152 (1999) | | |
| 11 | Barr, D.R., Manning, A.J., Agonist-independent activation of G _z by the 5-hydroxytryptamine _{1A} receptor co-expressed in <i>spodoptera frugiperda</i> cells, <i>Biol. Chem.</i> 272:32979-87 (1997) | | |
| 12 | Biagi et al., <i>Farmacol. Ed. Sci.</i> 43:597-612 (1988) | | |
| 13 | Bond et al., Physiological effects of inverse agonists in transgenic mice with myocardial overexpression of the α_2 -adrenoceptor, <i>Nature</i> 374:272 (1995) | | |
| 14 | Brown et al., Catalytic alkylation of aniline, <i>J. Am. Chem. Soc.</i> , 46:1836-1838 (1924) | | |
| 15 | Büchi and Wüest, Synthesis of (\pm)-nuciferal, <i>J. Org. Chem.</i> 34:1122-1123 (1969) | | |
| 16 | Buu-Hoi et al., Further studies in the alkylation of phenols and thiophenols, <i>J. Org. Chem.</i> 16:988 (1951) | | |
| 17 | Cacchi et al., Palladium-catalyzed reaction of aryl iodides with acetic anhydride. A carbon monoxide-free synthesis of acetophenones, <i>Org. Lett.</i> 5:289-293 (2003) | | |
| 18 | Carman R.M. et al., A further synthesis of an analogue of the antifungal/antiherbivore lipid from avocado, <i>Aust. J. Chem.</i> 51:955 (1998) | | |
| 19 | Carroll et al., Synthesis and muscarinic receptor activity of ester derivatives of 2-substituted 2-azabicyclo[2.2.1]heptan-5-ol and -6-ol, <i>J. Med. Chem.</i> 35:2184-91 (1992) | | |
| 20 | Catarzi et al., Synthesis, ionotropic glutamate receptor binding affinity, and structure-activity relationships of a new set of 4,5-dihydro-8-heteroaryl-4-oxo-1,2,4-triazolo[1,5-a]quinoxaline-2-carboxylates analogues of TQX-0173, <i>J. Med Chem.</i> 44:3157-3165 (2001) | | |
| 21 | Cerione et al., The mammalian α_2 -adrenergic receptor: reconstitution of functional interactions between pure receptor and pure stimulatory nucleotide binding protein of the adenylyl cyclase system, <i>Biochemistry</i> 23:4519-25 (1984) | | |
| 22 | Brann, Identification of ligands by selective amplification of cells transfected with receptors and marker enzymes, <i>Chem. Abstr.</i> 128:111548 (1998) | | |
| 23 | Cherkasov et al., Organothiophosphorus reagents in organic synthesis, <i>Tetrahedron</i> 41:2567 (1985) | | |
| 24 | Dunn et al., Analgetic and antiinflammatory 7-arylbenzofuran-5-ylacetic acids and 7-arylbenzothiophene-5-ylacetic acids, <i>J. Med. Chem.</i> 29:2326 (1986) | | |
| 25 | Emerson, W.S. and Walters, P.J., The reductive alkylation of aniline, <i>J. Am. Chem. Soc.</i> 60:2023 (1938) | | |
| 26 | Finar, I.L. and Godfrey, K.E., The preparation and properties of some derivatives of 1-phenylpyrazole, <i>J. Chem. Soc.</i> 2293 (1954) | | |
| 27 | Glennon, Serotonin receptors: clinical implications, <i>Neurosci. Biobehavioral Rev.</i> 14:35 (1990) | | |
| 28 | Gooßen, L.J. and Ghosh, K., Palladium-catalyzed synthesis of aryl ketones from boronic acids and carboxylic acids or anhydrides, <i>Angew. Chem. Int. Ed. Engl.</i> 40:3458-3460 (2001) | | |
| 29 | Guthrie et al., The tetrahedral intermediate from the hydration of <i>N</i> -methylformanilide, <i>Can. J. Chem.</i> 71:2109-2122 (1993) | | |

| | |
|--|-----------------|
| EXAMINER | DATE CONSIDERED |
| *EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT. | |

| | | | |
|--|--|---------------------------------|-------------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. ACADIA.020A | APPLICATION NO. 10/601,070 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Andersson, et al. | |
| | | FILING DATE June 20, 2003 | |
| (USE SEVERAL SHEETS IF NECESSARY) | | GROUP 1615 | |

| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) | | |
|------------------|---|--|--|
| 30 | Hartwig, Transition metal catalyzed synthesis of arylamines and aryl ethers from aryl halides and triflates: scope and mechanism, <i>Angew. Chem. Int. Ed.</i> 37:2046-2067 (1998) | | |
| 31 | Hickinbottom, The preparation of secondary alkylaryl-amines and their purification, <i>J. Chem. Soc.</i> 992 (1930) | | |
| 32 | Hirst, H.R. and Cohen, J.B., A method for preparing the formyl derivatives of the aromatic amines, <i>J. Chem. Soc.</i> 67:829 (1895) | | |
| 33 | Jaeger, et al., Two ketones of the stilboestrol group, <i>J. Chem. Soc.</i> 744-747 (1941) | | |
| 34 | Klapars, et al., A general and efficient copper catalyst for the amidation of aryl halides, <i>J. Am. Chem. Soc.</i> 124:7421-7428 (2002) | | |
| 35 | Klapars, et al., A general and efficient copper catalyst for the amidation of aryl halides and the <i>N</i> -arylation of nitrogen heterocycles, <i>J. Am. Chem. Soc.</i> 123:7727-7729 (2001) | | |
| 36 | Kuehne et al., Enantioselective syntheses of vinblastine, leurosidine, vincovaline, and 20'- <i>epi</i> -vincovaline, <i>J. Org. Chem.</i> 56:513 (1991) | | |
| 37 | Kuehne et al., Total syntheses of <i>Yohimbe</i> alkaloids, with stereoselection for the normal, allo, and 3-epiallo series, based on annelations of 4-methoxy-1,2-dihydropyridones, <i>J. Org. Chem.</i> 56:2701 (1991) | | |
| 38 | Kwong et al., A general, efficient, and inexpensive catalyst system for the coupling of aryl iodides and thiols, <i>Org. Lett.</i> 4:3517-3520 (2002) | | |
| 39 | Kwong, et al., Copper-catalyzed coupling of alkylamines and aryl iodides: an efficient system even in an air atmosphere, <i>Org. Lett.</i> 4:581-584 (2002) | | |
| 40 | Kwong et al., Mild and efficient copper-catalyzed amination of aryl bromides and primary alkylamines, <i>Org. Lett.</i> 5:793-796 (2003) | | |
| 41 | Landini et al., A convenient synthesis of primary and secondary dialkyl and aryl alkyl sulfides in the presence of phase-transfer catalysts, <i>Synthesis</i> 565-566 (1974) | | |
| 42 | Li, Highly active, air-stable palladium catalysts for the c-c and c-s bond-forming reactions of vinyl and aryl chlorides: use of commercially available $[(t\text{-Bu})_2\text{P}(\text{OH})_2\text{PdCl}_2]$, $[(t\text{-Bu})_2\text{P}(\text{OH})_2\text{PdCl}_2]_2$, and $[(t\text{-Bu})_2\text{PO} \dots \text{H} \dots \text{OPdCl}_2]$, as catalysts, <i>J. Org. Chem.</i> 67:3643-3650 (2002) | | |
| 43 | Lowe et al., Aza-tricyclic substance P antagonists, <i>J. Med. Chem.</i> 37:2831-40 (1994) | | |
| 44 | Meltzer, The role of serotonin in antipsychotic drug action, <i>Neuropsychopharmacology</i> , 21:106S-115S (1999) | | |
| 45 | Micovic et al., A simple method for preparation of secondary aromatic amines, <i>Synthesis</i> 11:1043-1045 (1991) | | |
| 46 | Moulligner, Recepteurs centraux de la serotonin principaux aspects fondamentaux et fonctionnels applications therapeutiques, <i>Rev. Neurol.</i> 150:3-15 (1994) | | |
| 47 | Moune et al., Total synthesis of dolatrienoic acid: a subunit of dolastatin 14, <i>J. Org. Chem.</i> 62:3332-3339 (1997) | | |
| 48 | Muri et al., Synthesis of new benzylic ethers of oximes derived from 1-phenyl-pyrazole compounds, <i>Synth. Commun.</i> 28:1299-1321 (1998) | | |
| 49 | Nigam et al., The conversion of fatty acids into aldehydes, <i>J. Chem. Soc.</i> 2000 (1957) | | |
| 50 | Olah et al., Notiz über die <i>n</i> -formylierung von aminen mit formylfluorid, <i>Chem. Ber.</i> 89:2211 (1956) | | |

| | |
|--|-----------------|
| EXAMINER | DATE CONSIDERED |
| *EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT. | |

| | | | |
|--|--|---------------------------------|-------------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. ACADIA.020A | APPLICATION NO. 10/601,070 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Andersson, et al. | |
| (USE SEVERAL SHEETS IF NECESSARY) | | FILING DATE June 20, 2003 | GROUP 1615 |

| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) |
|------------------|---|
| 51 | Old, et al., Efficient palladium-catalyzed <i>n</i> -arylation of indoles, <i>Org. Lett.</i> 2:1403-1406 (2002) |
| 52 | Read, Researches on hydantoins. Synthesis of the soporific, 4,4-phenylethyl-hydantoin (nirvanol), <i>J. Am. Chem. Soc.</i> 44:1746-1755 (1922) |
| 53 | Ricci, Ed.; Wiley-VCH: Weinheim, Germany (2000) |
| 54 | Rice et al., Raney nickel catalyzed <i>n</i> -alkylation of aniline and benzidine with alcohols, <i>J. Am. Chem. Soc.</i> 77:4052 (1955) |
| 55 | Rubiralta et al., Piperidine – Structure, Preparation, Reactivity and Synthetic Applications of Piperidine and its Derivatives, <i>Studies in Organic Chemistry</i> 43, Elsevier (1991) |
| 56 | Saltzman et al., Cloning of the human serotonin 5-HT2 and 5-HT1C receptor subtypes, <i>Biochem. Biophys. Res. Comm.</i> 181:1469 (1991) |
| 57 | Saxena, et al., Cardiovascular effects of serotonin agonists and antagonists, <i>J. Cardiovascular Pharmacol.</i> 15: Supp. 7 (1990) |
| 58 | Scheibye et al., Studies on organophosphorus compounds XXI. The dimer of p-methoxyphenylthionophosphine sulfide as thiation reagent. A new route to thiocarboxamides, <i>Bull. Soc. Chim. Belg.</i> 87:229 (1978) |
| 59 | Screttas et al., Hydrolithiation of -olefins by a regiospecific two-step process. Transformation of alkyl phenyl sulfides to alkyl lithium reagents, <i>J. Org. Chem.</i> 43:1064-1071 (1978) |
| 60 | Stefanich et al., Agenti antiinfiammatori non-steroidi: Nota III – sintesi ed attivita analgesica-antiinfiammatoria de 4-(pirrol-1-il)-fenilacetamidi e di 4-(pirrol-1-il)fenetilamine, <i>Farmaco Ed. Sci.</i> 39:752-764 (1984) |
| 61 | Varma et al., Microwave-accelerated solvent-free synthesis of thioketones, thiolactones, thioamides, thionoesters, and thioflavonoids, <i>Org. Lett.</i> 1: 697-700 (1999) |
| 62 | Vogel, Physical properties and chemical constitution. Part XIX. Five-membered and six-membered carbon rings, <i>J. Chem. Soc.</i> 1809 (1948) |
| 63 | Vogl et al., Palladium-catalyzed monoarylation of nitroalkanes, <i>J. Org. Chem.</i> 67:106-111 (2002) |
| 64 | Weiner et al., 5-hydroxytryptamine _{2A} receptor inverse agonists as antipsychotics, <i>J. Pharmacol. Exp. Ther.</i> 299(1):268-276 (2001) |
| 65 | Whitmore et al., Abnormal Grignard reactions. XII. Sterically hindered aliphatic carbonyl compounds. II. Ketones containing the dineopentylcarbinyl group, <i>J. Am. Chem. Soc.</i> 64:1247 (1942) |
| 66 | Whitmore et al., Higher hydrocarbons. IV. Six phenyleicosanes and six cyclohexyleicosanes, <i>J. Am. Chem. Soc.</i> 69:235-237 (1947) |
| 67 | Wolf, Uber alkin-amine I. Aryl-propargyl-amine, <i>Liebigs Ann. Chem.</i> 576:35-45 (1952) |
| 68 | Wolfe et al., An improved catalyst system for aromatic carbon-nitrogen bond formation: the possible involvement of bis(phosphine) palladium complexes as key intermediates, <i>J. Am. Chem. Soc.</i> , 1996, 118, 7215-7216 |
| 69 | Yamada et al., <i>Tetrahedron Lett.</i> 39:7709-7712 (1998) |
| 70 | Yang et al., Palladium-catalyzed amination of aryl halides and sulfonates, <i>J. Organometallic Chem.</i> 576:125-146 (1999) |

| | |
|--|-----------------|
| EXAMINER | DATE CONSIDERED |
| *EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT. | |

| | | | |
|--|--|---------------------------------|-------------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. ACADIA.020A | APPLICATION NO. 10/601,070 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | |
| (USE SEVERAL SHEETS IF NECESSARY) | | | |
| FILING DATE June 20, 2003 | | GROUP 1615 | |

| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) | | |
|------------------|--|--|--|
| 71 | Yasuhara et al., An activated phosphate for an efficient amide and peptide coupling reagent, J. Chem. Soc. Perkin Trans. 1 17:2901-2902 (2000) | | |
| 72 | Yin et al., Pd-catalyzed intermolecular amidation of aryl halides: the discovery that xantphos can be trans-chelating in a palladium complex, J. Am. Chem. Soc. 124:6043-6048 (2002) | | |

S:\DOCS\SKTSKT-3946.DOC
070203

| | |
|--|-----------------|
| EXAMINER | DATE CONSIDERED |
| *EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT. | |